

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Original): A curable resin composition comprising a (meth)acrylate monomer, an organic peroxide, a decomposition accelerator for the organic peroxide, and an inorganic filler, wherein the inorganic filler has a particle size distribution such that it has peak diameters at least in the respective regions of from 3 to 10  $\mu\text{m}$  and from 30 to 70  $\mu\text{m}$ , and the mode diameter is from 30 to 70  $\mu\text{m}$  and the median diameter is from 5 to 40  $\mu\text{m}$ .

Claim 2 (Original): A curable resin composition comprising a (meth)acrylate monomer, an organic peroxide, a decomposition accelerator for the organic peroxide and an inorganic filler, wherein the inorganic filler has a particle size distribution such that it has peak diameters at least in the respective regions of from 0.2 to 1.5  $\mu\text{m}$ , from 3 to 10  $\mu\text{m}$  and from 30 to 70  $\mu\text{m}$ , and the mode diameter is from 30 to 70  $\mu\text{m}$  and the median diameter is from 5 to 40  $\mu\text{m}$ .

Claim 3 (Previously Presented): The curable resin composition according to Claim 1, which comprises from 0.5 to 10 parts by mass of the organic peroxide, from 0.1 to 10 parts by mass of the decomposition accelerator and from 100 to 1,500 parts by mass of the inorganic filler, respectively, per 100 parts by mass of the (meth)acrylate monomer.

Claim 4 (Original): The curable resin composition according to Claim 1, which further contains a drying oil.

Claim 5 (Original): The curable resin composition according to Claim 2, which further contains a drying oil.

Claim 6 (Previously Presented): The curable resin composition according to Claim 4, which comprises from 1 to 30 parts by mass of the drying oil, from 0.5 to 10 parts by mass of the organic peroxide, from 0.1 to 10 parts by mass of the decomposition accelerator and from 100 to 1,500 parts by mass of the inorganic filler, respectively, per 100 parts by mass of the (meth)acrylate monomer.

Claim 7 (Previously Presented): The curable resin composition according to Claim 1, wherein the inorganic filler is spherical alumina.

Claim 8 (Previously Presented): A cured product made of the curable resin composition as defined in Claim 1.

Claim 9 (Previously Presented): A potting material made of the curable resin composition as defined in Claim 1.

Claim 10 (Previously Presented): An adhesive made of the curable resin composition as defined in Claim 1.

Claim 11 (New): The curable resin composition according to Claim 2, which comprises from 0.5 to 10 parts by mass of the organic peroxide, from 0.1 to 10 parts by mass of the decomposition accelerator and from 100 to 1,500 parts by mass of the inorganic filler, respectively, per 100 parts by mass of the (meth)acrylate monomer.

Claim 12 (New): The curable resin composition according to Claim 5, which comprises from 1 to 30 parts by mass of the drying oil, from 0.5 to 10 parts by mass of the organic peroxide, from 0.1 to 10 parts by mass of the decomposition accelerator and from 100 to 1,500 parts by mass of the inorganic filler, respectively, per 100 parts by mass of the (meth)acrylate monomer.

Claim 13 (New): The curable resin composition according to Claim 2, wherein the inorganic filler is spherical alumina.

Claim 14 (New): A cured product made of the curable resin composition as defined in Claim 2.

Claim 15 (New): A potting material made of the curable resin composition as defined in Claim 2.

Claim 16 (New): An adhesive made of the curable resin composition as defined in Claim 2.

Claim 17 (New): The curable resin according to Claim 1, wherein the (meth)acrylate monomer has at least one phenyl group.

Claim 18 (New): The curable resin according to Claim 2, wherein the (meth)acrylate monomer has at least one phenyl group.

Claim 19 (New): The curable resin composition according to Claim 1, wherein the inorganic filler has a particle size distribution such that it has peak diameters at least in the respective regions of from 3 to 10  $\mu\text{m}$  and from 30 to 39.8  $\mu\text{m}$ .

Claim 20 (New): The curable resin composition according to Claim 2, wherein the inorganic filler has a particle size distribution such that it has peak diameters at least in the respective regions of from 0.2 to 1.5  $\mu\text{m}$ , from 3 to 10  $\mu\text{m}$  and from 30 to 39.8  $\mu\text{m}$ .